# GRAINAUGERS

## Quality, strength and efficiency

**– augers and transportation for your crops...**

Sukup EUROPE

**Sukup Europe LTD**, *Rectory Farm, Brewery Road, Pampisford, Cambridge, CB22 3EN*
*T: +44 1223 837279, E: info@sukup-eu.com* // **WWW.SUKUP-EU.COM**

## The incredible grain auger…

The MK auger is supplied with a practical mechanically driven hopper to dump the grain in and a wide transport wheel kit that ensures a stable working situation.

The height of the auger is easily adjusted by one or two hydraulic cylinders.

- Canadian high quality auger with the world's largest capacities
- Well tested construction
- For tractor PTO
- Suited for filling large grain stores and outside bins
- Mobile – can be used on several farms
- Low operation expenses

### Capacity

| | |
|---|---|
| MK 80: | up to 110 tons wheat/hour ( 8" = 203 mm) |
| MKX 100: | up to 160 tons wheat/hour (10" = 254 mm) |
| MKX 130: | up to 245 tons wheat/hour (13" = 330 mm) |
| MKX 160: | up to 590 tons wheat/hour (16" = 406 mm) |



## MKX Auger – Prices

| ARTICLE NUMBER | TYPE | LENGTH (m) | EFFECT PTO-hp | DIMENSIONS IN MM (lowest / highest) | | PRICE (GBP) |
|---|---|---|---|---|---|---|
| | | | | A | B | |
| 100MK08071 | MK 80 X 71 | 21,5 | 50 | 3800 / 14140 | 10200 / 8250 | 9.155 £ |
| 100MKX10063 | MKX 100 X 63 | 19,2 | 60 | 3500 / 12300 | 9100 / 7800 | 10.973 £ |
| 100MKX10073 | MKX 100 X 73 | 22,2 | 70 | 3800 / 14400 | 10800 / 8700 | 11.825 £ |
| 100MKX10083 | MKX 100 X 83 | 25,3 | 80 | 3500 / 16500 | 12900 / 9800 | 15.322 £ |
| 100MKX13074 | MK 130 X 74 | 27,0 | 90 | 3800 / 18080 | 13580 / 10440 | 20.337 £ |
| 100MKX13084 | MK 130 X 84 | 21,5 | 100 | 3650 / 14140 | 10200 / 8250 | 23.257 £ |
| 100MKX13094 | MK 130 X 94 | 24,5 | 130 | 3800 / 16380 | 12340 / 8990 | 27.497 £ |
| 100MKX130114 | MK 130 X 114 | 27,0 | 140 | 3800 / 18080 | 13580 / 10440 | 33.513 £ |
| 100MKX160-85,-105,-125 | MK 160 x -85,-105,-125) | 25-37 | 175-225 | 17600-24900 | 10500-15200 | Ask for price |
| | | | | | | |
| 103A164 | Flex. outlet spout in plastic: 8-10” | | | Length 90 cm 5-part | | 120 £ |
| 103A175 | Flex. outlet spout in plastic: 13” | | | Length 125 cm 5-part | | 222 £ |

*Dimensions for MK augers*



## Equipment

Flex. outlet spout in poly material: 8-10”, 5 parts, l: 900 mm
Flex. outlet spout in poly material: 13”, 5 parts, l: 1250 mm

The auger is delivered unassembled in a transportation frame – £ 217
This will be credited £ 185 when returned.

## Strong mobile auger

- Flexible
- Canadian high quality auger with high capacity
- For electrical motor or tractor PTO drive
- Suited for filling large grain stores and outside bins
- Value for money

*Dimensions for WR augers*




### Capacity

| AUGER DIAMETER | 15° INCLINE | 30° INCLINE | 40° INCLINE |
|---|---|---|---|
| 8" (203 mm) | 70 | 53 | 45 |
| 10" (254 mm) | 120 | 92 | 78 |

*Capacity may vary due to the protection net.*

| LENGTH | A | B | C | D | E | F | G | H | I |
|---|---|---|---|---|---|---|---|---|---|
| 26'/ 8,0 m | 1950 | 3840 | 5450 | 3270 | 2870 | 2200 | 2350 | 3440 | 2080 |
| 31'/ 9,5 m | 2330 | 4590 | 6530 | 4170 | 3640 | 2810 | 2680 | 3890 | 2330 |
| 36'/ 11,0 m | 2740 | 5270 | 7550 | 4930 | 4320 | 3390 | 3040 | 4350 | 2700 |
| 41'/ 12,5 m | 2910 | 6130 | 8680 | 5670 | 4960 | 3840 | 3490 | 4960 | 3090 |
| 51'/ 15,5 m | 3610 | 7600 | 10640 | 7020 | 6130 | 4810 | 4300 | 6040 | 3890 |
| 61'/ 18,5 m | 3540 | 8610 | 12460 | 8310 | 7400 | 5770 | 5220 | 7370 | 4910 |
| 71'/ 21,5 m | 3890 | 10030 | 14290 | 9620 | 8540 | 6840 | 5970 | 8360 | 5600 |

*The auger is delivered unassembled in a galvanized transportation frame, which will be credited when returned.*

# WR Auger – Prices

## WR inlet hopper options

## WR electrical motor or PTO-operated

## Outlet and supportwheel

| | TYPE | DIAMETER | LENGTH | MOTOR | PRICE (GBP) |
|---|---|---|---|---|---|
| 100WR08026 | WR 80x26 | 8" (203 mm) | 8,0 m | 5,5 kW | 3.569 £ |
| 100WR08036 | WR 80x36 | 8" (203 mm) | 11,0 m | 7,5 kW | 4.240 £ |
| 100WR08041 | WR 80x41 | 8" (203 mm) | 12,5 m | 7,5 kW | 4.499 £ |
| 100WR08051 | WR 80x51 | 8" (203 mm) | 15,5 m | 11,0 kW | 5.406 £ |
| 100WR08061 | WR 80x61 | 8" (203 mm) | 18,5 m | 11,0 kW | 6.634 £ |
| 100WR08071 | WR 80x71 | 8" (203 mm) | 21,5m | 15,0 kW | 7.196 £ |
| 100WR10031 | WR 100x31 | 10" (254 mm) | 9,5 m | 11,0 kW | 4.895 £ |
| 100WR10041 | WR 100x41 | 10" (254 mm) | 12,5 m | 15,0 kW | 5.855 £ |
| 100WR10051 | WR 100x51 | 10" (254 mm) | 15,5 m | 18,5 kW | 7.128 £ |
| 100WR10061 | WR 100x61 | 10" (254 mm) | 18,5 m | 18,5 kW | 8.042 £ |
| 100WR10071 | WR 100x71 | 10" (254 mm) | 21,5 m | 22,0 kW | 8.941 £ |
| 100WR 130-31,-36,-41 | WR 130 x -31,-36,-41 | 13"(330 mm) | 9,5-12,5 m | 18,5-22 kW | Ask for price |
| 103A250 | Support wheel kit for 8" WR | | | | 445 £ |
| 103A251 | Support wheel kit for 10" WR | | | | 456 £ |
| 999PSTRØ8 | Cone shaped special outlet Ø200 for 8" outlet | | | | 71 £ |
| 999PSTRØ10 | Cone shaped special outlet Ø250 for 10" outlet | | | | 85 £ |
| 61501250 | Big poly hopper. Height x diam. 50 cm x 125 cm | | | | 209 £ |
| 10329318 | Hopper 35 gr. for 8" WR 92X92 cm | | | | 853 £ |
| 10329319 | Hopper 35 gr. for 10" WR 92X92 cm | | | | 909 £ |
| 800PTOKIT-WR1 | PTO kit for WR 80x51 and smaller | | | | 535 £ |
| 800PTOKIT-WR2 | PTO kit for WR 80x61 and larger | | | | 588 £ |
| 103A164 | Flex. outlet spout in poly material: 8-10" | | | | 120 £ |

*Prices for electrical motor and operation box (see backside of this brochure).*

## Cost-efficient auger with large capacity

A UT auger consists of one basic section (A) with outlet spout and drive unit, extensions (B) available in 3 different lengths and lower section with inlet basket or inlet hopper (C).




*The auger is delivered unassembled.*

| | MAX. CAPACITY | | | |
|---|---|---|---|---|
| **TYPE** | **0°** | **15°** | **35°** | **45°** |
| 6”- 152 mm | 34 | 29 | 22 | 18 |
| 8”- 203 mm | 60 | 51 | 39 | 33 |
| 10”- 254 mm | 102 | 87 | 66 | 56 |
| 13”- 330 mm | 162 | 138 | 105 | 89 |

*Capacity may vary due to the protection net.*

The UT augers are delivered with motor mount, pulley, capacity regulation, bearing for auger flighting, protection screen and mounting fittings.

The price is without electric motor.

| | **6” (152 MM) AUGER** | **MOTOR SIZE** | **PRICE (GBP)** |
|---|---|---|---|
| 100UT06050 | Auger type UT 6” x 5,0 m | 1,5 kW | 1.203 £ |
| 100UT06065 | Auger type UT 6” x 6,5 m | 2,2 kW | 1.356 £ |
| 100UT06080 | Auger type UT 6” x 8,0 m | 3,0 kW | 1.437 £ |
| 100UT06095 | Auger type UT 6” x 9,5 m | 4,0 kW | 1.523 £ |
| 100UT06110 | Auger type UT 6” x 11,0 m | 4,0 kW | 1.675 £ |
| 100UT06125 | Auger type UT 6” x 12,5 m | 5,5 kW | 1.757 £ |
| 100UT06140 | Auger type UT 6” x 14,0 m | 5,5 kW | 1.844 £ |
| 100UT06155 | Auger type UT 6” x 15,5 m | 7,5 kW | 1.996 £ |
| | | | |
| | **8” (203 MM) AUGER** | **MOTOR SIZE** | **PRICE (GBP)** |
| 100UT08050 | Auger type UT 8” x 5,0 m | 3,0 kW | 1.333 £ |
| 100UT08065 | Auger type UT 8” x 6,5 m | 3,0 kW | 1.528 £ |
| 100UT08080 | Auger type UT 8” x 8,0 m | 4,0 kW | 1.651 £ |
| 100UT08095 | Auger type UT 8” x 9,5 m | 5,5 kW | 1.761 £ |
| 100UT08110 | Auger type UT 8” x 11,0 m | 5,5 kW | 1.956 £ |
| 100UT08125 | Auger type UT 8” x 12,5 m | 7,5 kW | 2.079 £ |
| 100UT08140 | Auger type UT 8” x 14,0 m | 7,5 kW | 2.190 £ |
| 100UT08155 | Auger type UT 8” x 15,5 m | 11,0 kW | 2.385 £ |
| | | | |
| | **10” (254 MM) AUGER** | **MOTOR SIZE** | **PRICE (GBP)** |
| 100UT10050 | Auger type UT 10” x 5,0 m | 3,0 kW | 1.606 £ |
| 100UT10065 | Auger type UT 10” x 6,5 m | 4,0 kW | 1.880 £ |
| 100UT10080 | Auger type UT 10” x 8,0 m | 5,5 kW | 2.052 £ |
| 100UT10095 | Auger type UT 10” x 9,5 m | 7,5 kW | 2.213 £ |
| 100UT10110 | Auger type UT 10” x 11,0 m | 7,5 kW | 2.488 £ |
| 100UT10125 | Auger type UT 10” x 12,5 m | 11,0 kW | 2.660 £ |
| 100UT10140 | Auger type UT 10” x 14,0 m | 11,0 kW | 2.821 £ |
| 100UT10155 | Auger type UT 10” x 15,5 m | 15,0 kW | 3.095 £ |

*The price is without electric motor.*

# Accessories for UT augers

| | | | |
|---|---|---|---|
| 103A163 | Flexible outlet spout in poly material: 6” | Length 90 cm 5-part | 109 £ |
| 103A164 | Flexible outlet spout in poly material: 8-10” | Length 90 cm 5-part | 120 £ |
| 103A175 | Flexible outlet spout in poly material: 13” | Length 125 cm 5-part | 222 £ |
| 103A132 | Wire strengtheners for 6” UT augers | | 186 £ |
| 103A134 | Wire strengtheners for 8” UT augers | | 200 £ |
| 103A135 | Wire strengtheners for 10” UT augers | | 224 £ |
| 103A138 | Extra mounting fittings for 6” UT | | 53 £ |
| 103A140 | Extra mounting fittings for 8” UT | | 58 £ |
| 103A141 | Extra mounting fittings for 10” UT | | 69£ |
| 103A142 | Extra mounting fittings for 13” UT | | 109 £ |
| 61501250 | Big poly hopper | Height x diameter 50 cm x 125 cm | 209 £ |
| 6150606 | Handy steel hopper with flight supp.bearing: | 6” auger | 109 £ |
| 6150608 | Handy steel hopper with flight supp.bearing: | 8” auger | 125 £ |
| 6150610 | Handy steel hopper with flight supp.bearing: | 10” auger | 149 £ |
| 1001152 | Lid for 6” inlet hopper Ø200 | | 81 £ |
| 1001150 | Lid for 8” inlet hopper Ø200 | | 107£ |
| 1001153 | Lid for 10” inlet hopper Ø250 | | 117 £ |
| 999PSTRØ6 | Cone shaped special outlet Ø160 for 6” outlet | | 60 £ |
| 99PSTRØ8 | Cone shaped special outlet Ø200 for 8” outlet | | 71 £ |
| 999PSTRØ10 | Cone shaped special outlet Ø250 for 10” outlet | | 85 £ |

*Prices for electrical motor and operation box (see backside of this brochure).*



## Electrical motor and operation box

| Electrical motor 1450 rpm | kW | HP | Price (motor) | Operation box* | Price (GBP) |
|---|---|---|---|---|---|
| 12710110 | 1,1 kW | 1,5 HK | 145 £ | 1001110 | 281 £ |
| 12710150 | 1,5 kW | 2,0 HK | 150 £ | 1001110 | 281 £ |
| 12710220 | 2,2 kW | 3,0 HK | 227 £ | 1001110 | 281 £ |
| 12710300 | 3,0 kW | 4,0 HK | 259 £ | 1001111 | 433 £ |
| 12710400 | 4,0 kW | 5,5 HK | 318 £ | 1001111 | 433 £ |
| 12710550 | 5,5 kW | 7,5 HK | 424 £ | 1001112 | 522 £ |
| 12710750 | 7,5 kW | 10,0 HK | 483 £ | 1001112 | 522 £ |
| 12711100 | 11,0 kW | 15,0 HK | 849 £ | 1001113 | 643 £ |
| 12711500 | 15,0 kW | 20,0 HK | 976 £ | 1001114 | 1.106 £ |
| 12711850 | 18,5 kW | 25,0 HK | 1.036 £ | 1001115 | 1.233 £ |
| 12712200 | 22,0 kW | 30,0 HK | 1.308 £ | - | - |
| 12713000 | 30,0 kW | 40,0 HK | 1.720 £ | - | - |

** Operation box contains manual Y/D starter mounted on a steel plate for simple assembly. Excl. mounting fittings. Automatic Y/D starter can be purchased at extra cost.*

## Type B-16 to be mounted on the rear of your wagon

With the Westfield auger for grain and fertilizers on your wagon, you can easily and quickly handle large quantities of grain and fertilizers. The auger is mounted quickly with only one assembly bolt and without use of any tools.

Fold easy and quick to transport position
incl. hydraulic motor, electric operated start/stop function mounted at the end of the outlet tube.

The auger is delivered incl. remote control.

**Capacity:**
25 - 30 t/h

**Dimensions:**
The length in working position is 4.7 m.
The pipe diameter is 6" (152 mm)

Complete B16 grain and fertilizer auger incl. remote control – £ 2.533

The brochures are subject to printing errors and technical errors.

**Sukup Europe LTD**, *Rectory Farm, Brewery Road, Pampisford, Cambridge, CB22 3EN*
*T. +44 1223 837279, F. +44 1223 837450, info@sukup-eu.com,* **www.sukup-eu.com**